

156-836^{Q&As}

Check Point Certified Maestro Expert - R81 (CCME)

Pass CheckPoint 156-836 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/156-836.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF Pass4itSure.com

https://www.pass4itsure.com/156-836.html

2024 Latest pass4itsure 156-836 PDF and VCE dumps Download

QUESTION 1

Is it possible to define	distribution	mode per interface?
--------------------------	--------------	---------------------

- A. Yes, only for downlink interfaces
- B. No, only for the Security Group
- C. Yes, only for uplink interfaces
- D. Yes, for both uplink and downlink interfaces

Correct Answer: D

QUESTION 2

What is the maximum number of Appliances within the same Security Group?

- A. 31
- B. 8
- C. 52
- D. 16

Correct Answer: A

QUESTION 3

There are two appliances within the same Security Group. One of them is connected by One downlink only, another one by Two downlinks. Assuming there\\'s no NAT and no VPN, what would be proportion of traffic distribution done by Orchestrator?

- A. 100%/0%
- B. 33%/66%
- C. 50%/50%
- D. 66%/33%

Correct Answer: C

QUESTION 4

What is the difference between Dual-Site and Dual-Room?

A. Dual-Room is a kind of Dual-Site deployment within the same building



https://www.pass4itsure.com/156-836.html

2024 Latest pass4itsure 156-836 PDF and VCE dumps Download

- B. Dual-Room is Active / Standby and Dual-Site is Active / Active
- C. Dual-Room is a Single-Site deployment where all Appliances are connected to both orchestrators
- D. They are the same

Correct Answer: A

QUESTION 5

The drop_monitor command is useful for

- A. Monitoring Check Point code drops
- B. Viewing all interface drops such as RX-ERR, RX-DRP, and RX-OVR
- C. Viewing all drops by Check Point code or the Gaia OS, such as RX-DRP, RX-ERR, and Gaia OS drops.
- D. Showing the system temperature in real-time for multiple components, such as CPU, fan, and SSDs.

Correct Answer: C

156-836 Practice Test

156-836 Study Guide

156-836 Exam Questions