

1D0-437^{Q&As}

CIW PERL FUNDAMENTALS

Pass CIW 1D0-437 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/1d0-437.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

Consider the following program code:

```
$i = 15;
LOOP: for(; $i
```

{

if (\$i % 2)

{

next LOOP;

}

print(\$i);

}

What is the result of executing this program code?

A. The code will output the following: 15 2 4 6 8 10 12 14 16 18 20 22 24

B. The code will output the following: 15 17 19 21 23 25

C. The code will fail at line 2 because \$i is not initialized.

D. The code will output the following: 16 18 20 22 24

Correct Answer: D

QUESTION 2

Consider the following statement:

@array1 = (9, "A", 0..9, "PERL");

Given this statement, @array1 consists of how many elements?

B. 4

C. 12

D. 16

Correct Answer: A

QUESTION 3



Consider the following lines of code:

@array1 = ("apples", "oranges", "pears", "plums"); foreach (@array1) {print "\$_\n"};

What is the result of these lines of code?

- A. apples oranges pears plums
- B. apples oranges pears plums
- C. apples
- D. apples oranges pears plums

Correct Answer: D

QUESTION 4

Which statement is the most accurate?

- A. The unshift function removes elements from the beginning of an array.
- B. The unshift function adds elements to the end of an array.
- C. The shift function adds elements to the end of an array.
- D. The shift function removes elements from the beginning of an array.

Correct Answer: D

QUESTION 5

Consider the following program code:

\$x = 10;

LOOP: while (\$x

{

print (\$x);

if (\$x >= 14 and and \$x