



# 1Y0-230<sup>Q&As</sup>

Citrix NetScaler 12 Essentials and Unified Gateway

## Pass Citrix 1Y0-230 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1y0-230.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which Citrix ADC feature can a Citrix Administrator use to create a customer footer for a NetScaler Gateway login page?

- A. Rewrite
- B. SmartAccess
- C. HTTP Callout
- D. Responder

Correct Answer: A

Reference: <https://support.citrix.com/article/CTX215817>

---

### QUESTION 2

Scenario: A Citrix Administrator needs to configure a group in which Contractors will have limited access to internal resources over the SSL VPN. The Contractors group should be able to access all internal IP

Addresses but should NOT be able to open SSH connections to any internal resource.

Which expression should the administrator use to satisfy this scenario?

- A. REQ.IP.DESTIP == 192.168.30.0 -netmask 255.255.255.0andand(REQ.TCP.DESTPORT == 22) Action set to Allow
- B. REQ.IP.DESTIP == 192.168.30.0 -netmask 255.255.255.0andand(REQ.TCP.DESTPORT == 22) Action set to Deny
- C. REQ.IP.DESTIP == 192.168.30.0 -netmask 255.255.255.0andand(REQ.TCP.DESTPORT == 80 || REQ.TCP.DESTPORT == 443)
- D. REQ.IP.DESTIP == 192.168.30.0 -netmask 255.255.255.0 || (REQ.TCP.DESTPORT == 22)

Correct Answer: D

---

### QUESTION 3

How can a Citrix Administrator provide two-factor authentication with tokens in a XenDesktop with NetScaler Gateway environment?

- A. Create a SAML IDP policy and bind it to the existing virtual server.
- B. Configure a TACACS authentication policy and bind it to the existing virtual server.



- C. Configure a RADIUS authentication policy and bind it to the existing virtual server.
- D. Create an authorization policy and bind it to the existing virtual server.

Correct Answer: C

---

#### QUESTION 4

Scenario: A Citrix Administrator is performing a disaster recovery test and decided to fail over the Citrix ADC high availability (HA) pair appliances. The administrator noticed that the failover is NOT working as expected in item text, and the Secondary Citrix ADC is NOT taking over as Primary. The administrator suspects that networking issues may be causing the failure. What could be the cause of this issue with the Citrix ADCs?

- A. HA monitoring is enabled on a disabled interface of the Primary Node
- B. HA monitoring is enabled on an interface of the Secondary Node that shows as ENABLED, DOWN
- C. Independent network configuration (INC) mode is enabled
- D. HA heartbeats are only seen on some enabled interfaces of the Secondary Node

Correct Answer: D

---

#### QUESTION 5

Scenario: Users belong to three Authentication, Authorization and Auditing (AAA) groups: Corporate, Finance and Software.

Show aaa groups: >show aaa group 1) GroupName: Corporate 2) GroupName: Finance 3) GroupName: Software

Done >show aaa group Corporate GroupName: Corporate Weight: 0 Authorization Policy: pol\_1, Type: Classic, Priority: 0 > add authorization policy pol\_1 ns\_true ALLOW > bind aaa group Corporate -policy pol\_1

The user is being denied resources while aaad.debug shows: Group `corporate\` being extracted for user User1

Why is the user being denied access?

- A. The Authorization policy is NOT configured properly.
- B. The group attribute is NOT configured in the LDAP policy.
- C. AAA group names are NOT the same as those in Active Directory/
- D. LDAP Base DN is incorrect.

Correct Answer: D

---