



1Z0-034^{Q&As}

Upgrade Oracle9i/10g OCA to Oracle Database OCP

Pass Oracle 1Z0-034 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-034.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which two statements are true regarding hot patching? (Choose two.)

- A. It requires relinking of the Oracle binary.
- B. It does not require database instance shutdown.
- C. It can detect conflicts between two online patches.
- D. It is available for installing all patches on all platforms.
- E. It works only in a single database instance environment.

Correct Answer: BC

QUESTION 2

You are in the process of creating a virtual private catalog in your Oracle Database 11g database. The PROD1, PROD2, and PROD3 Oracle Database 10g databases are registered in the base recovery catalog.

The databaseuser who owns the base recovery catalog is CATOWNER. CATOWNER executes the following command to grant privileges to a new user VPC1 using Oracle Database 11g RMAN executables:

```
RMAN> GRANT CATALOG FOR DATABASE prod1, prod2 TO vpc1;
```

Then you issue the following commands:

```
RMAN> CONNECT CATALOG vpc1/oracle@catdb;
```

```
RMAN> SQL "EXEC catowner.dbms_rcvcat.create_virtual_catalog;"
```

What is the outcome of the above commands?

- A. They execute and create a virtual catalog for pre-Oracle 11g clients.
- B. They produce an error because PROD1 and PROD2 databases belong to the older version.
- C. They produce an error because you need to connect as CATOWNER to execute this packaged procedure.
- D. They produce an error because you need to connect to the target database to execute this packaged procedure.

Correct Answer: A

QUESTION 3

You are using the control file to maintain information about the database backups that are being performed by Recovery Manager (RMAN).



Identify two scenarios in which you must have a recovery catalog.

- A. To store the backup information of multiple database
- B. To restrict the amount of space that is used by the backups
- C. To maintain a backup for a certain time is set by the CONTROL_FILE_RECORD_KEEP_TIME parameter.
- D. To list the data files that were in a target database at a given time by using the AT option of REPORTSCHEMA command.

Correct Answer: AD

QUESTION 4

Examine the parameter settings in your database.

NAME	TYPE	VALUE
archive_lag_target	integer	0
db_flashback_retention_target	integer	1440
fast_start_io_target	integer	0
fast_start_mttr_target	integer	0
memory_max_target	big integer	808M
memory_target	big integer	808M
pga_aggregate_target	big integer	0
sga_target	big integer	0

```
SQL> SHOW PARAMETER SGA_MAX_SIZE
```

NAME	TYPE	VALUE
sga_max_size	big integer	808M

Which statement is correct about the database?

- A. Automatic memory management is disabled because PGA_AGGREGATE_TARGET and SGA_TARGET are not set.
- B. The instance is started but the database will not be opened until PGA_AGGREGATE_TARGET and SGA_TARGET are set.
- C. The database is opened but users cannot perform transactions until PGA_AGGREGATE_TARGET and SGA_TARGET are set.
- D. Automatic memory management is enabled and, as per policy, 60% of the memory for System Global Area (SGA) and 40% of the memory for Program Global Area (PGA) will be distributed at startup

Correct Answer: D

QUESTION 5



Examine the following set of RMAN commands:

```
RMAN> CONFIGURE CHANNELdeIDVICETYPEDISK FORMAT \\u02/backup/%U*; RMAN>RUN {  
ALLOCATECHANNELchIDVICETYPEDISK; EXECUTESCRIPTfull_backup; }
```

Which statement is true when the RMAN run block is executed?

- A. The execution of the script fails because multiple channels cannot coexist.
- B. The script is executed and both the channels are used for the script execution.
- C. The new channel, CH1, is ignored because a channel has been configured already.
- D. The persistent configuration parameter DC1 is overridden because a new channel is allocated in the RMAN run block.

Correct Answer: D

[Latest 1Z0-034 Dumps](#)

[1Z0-034 Study Guide](#)

[1Z0-034 Braindumps](#)