



# 1Z0-034<sup>Q&As</sup>

Upgrade Oracle9i/10g OCA to Oracle Database OCP

## Pass Oracle 1Z0-034 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-034.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

The database is running in the ARCHIVELOG mode. It has three redo log groups with one member each. One of the redo log groups has become corrupted. You have issued the following command during the recovery of a damaged redo log file:

```
ALTER DATABASE CLEAR UNARCHIVED LOGFILE GROUP 3;
```

Which action should you perform immediately after using this command?

- A. You should perform a log switch
- B. You should make a backup of the database
- C. You should switch the database to the NOARCHIVELOG mode
- D. You should shut down the database instance and perform a complete database recovery

Correct Answer: B

---

**QUESTION 2**

Which two statements are true about the Automatic Diagnostic Repository (ADR)? (Choose two.)

- A. The ADR base keeps all diagnostic information in binary format
- B. SQL\*Plus provides the ADRI script, which can be used to work with ADR
- C. The ADR can be used for problem diagnosis only when the database is open
- D. The ADR can be disabled by setting the DIAGNOSTIC\_DEST parameter to null
- E. The ADR can be used for problem diagnosis even when the database instance is down
- F. The ADR base is shared across multiple instances

Correct Answer: EF

---

**QUESTION 3**

You are managing an Oracle Database 11g ASM instance with a disk group dg01 having three disks.

One of the disks in the disk group becomes unavailable because of power failure. You issued the following command to change the DISK\_REPAIR\_TIME attribute from 3.6 hours to 5 hours:

```
ALTER DISKGROUP dg01 SET ATTRIBUTE *disk_repair_time = 5h;
```

To which disks in the disk group will the new value be applicable?

- A. all disks in the disk group



- B. all disks that are currently in OFFLINE mode
- C. all disks that are not currently in OFFLINE mode
- D. all disks in the disk group only if all of them are ONLINE

Correct Answer: C

---

#### QUESTION 4

Which two statements are true about the duplexing of the backups taken by RMAN? (Choose two.)

- A. It's only supported for the backups performed on the tape
- B. It is not supported for backup operations that produce image copies
- C. Duplex backups need a parallelism for the device to be equal to number of copies
- D. Duplex backups can be performed to either disk or tape, but cannot be performed on tape and disk simultaneously

Correct Answer: BD

---

#### QUESTION 5

As part of archiving the historical data, you want to transfer data from one database to another database, which is on another server. All tablespaces in the source database are read/write and online. The source and target databases use the same compatibility level and character sets. View the Exhibit and examine the features in the source and target database.

Which of the following steps are required to transport a tablespace from the database to the target database:

1.  
Make the tablespace read-only at the source database.
2.  
Export metadata from the source database.
3.  
Convert data filed by using Recovery Manager (RMAN).
4.  
Transfer the dump file and data filed to the target machine.
5.  
Import metadata at the target database.
6.  
Make the tablespace read/write at the target database.



Exhibit: A. 2, 4, and 5

Source:

```
SQL> SELECT tp.endian_format, d.platform_name
 2  FROM v$transportable_platform tp,
 3  v$database d
 4  WHERE tp.platform_name = d.platform_name;
```

| ENDIAN_FORMAT | PLATFORM_NAME                 |
|---------------|-------------------------------|
| Little        | Microsoft Windows IA (32-bit) |

Target:

```
SQL> SELECT tp.endian_format, d.platform_name
 2  FROM v$transportable_platform tp,
 3  v$database d
 4  WHERE tp.platform_name = d.platform_name;
```

| ENDIAN_FORMAT | PLATFORM_NAME     |
|---------------|-------------------|
| Little        | Linux IA (32-bit) |

- B. All the steps
- C. 2, 3, 4 and 5
- D. 1, 2, 4, 5 and 6

Correct Answer: D

[Latest 1Z0-034 Dumps](#)

[1Z0-034 Practice Test](#)

[1Z0-034 Braindumps](#)