



1Z0-928^{Q&As}

Oracle Cloud Platform Big Data Management 2018 Associate

Pass Oracle 1Z0-928 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/1z0-928.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You are a Spark developer using Spark RDDs for data processing. You realize Resilient Distributed Data Sets (RDDs) are evaluated lazily.

Which function do you need to execute to materialize RDDs?

- A. Coalesce ()
- B. ReduceByKey ()
- C. Filter ()
- D. CountByKey ()
- E. Map ()

Correct Answer: D

QUESTION 2

When you create a cluster, how many permanent nodes must you have before you can have edge nodes?

- A. One
- B. Two
- C. Five
- D. Four
- E. Three

Correct Answer: D

Reference: <https://docs.oracle.com/en/cloud/paas/big-data-cloud/csbdi/add-nodes-cluster.html#GUIDB6EDF7FB-A94A-4356-AF5E-C9307721F772>

QUESTION 3

HDFS Transparent Encryption protects Hadoop data when you perform read and write operations on encrypted zones. The disk where the HDFS directories are stored will be automatically encrypted and decrypted. HDFS Transparent Encryption must have Kerberos enabled and two principals are created as part of the Kerberos configuration.

When are the two principals created?

- A. They are created when you create a cluster with Security Setup enabled.
- B. They are automatically created in Big Data Cloud Service for Kerberos with your Oracle Cloud account.
- C. They are created when you create an HDFS directory.



D. They are created when you create your service instance with Security Setup enabled.

Correct Answer: AD

Reference: <https://docs.oracle.com/en/cloud/paas/big-data-cloud/csbd/using-hdfs-transparentencryption.html#GUID-9DD5DC54-B7FF-4DCA-ACB6-9118F602DA11>

QUESTION 4

You execute the command `hdfs dfs -ls` to view the directory listing on the Edge/Gateway node in a secured cluster, but get an error. You were able to execute the same command successfully 24 hours ago. No changes have been made to the user or the infrastructure.

How do you fix the problem?

- A. You need to obtain a valid Kerberos ticket by executing the KINIT command.
- B. You need to reboot the Hadoop cluster to reinstate access to users.
- C. A valid Kerberos ticket exists but you need to initialize it using the KINIT command.
- D. You are on wrong node. The `hdfs dfs -ls` command can only be executed from the Name Node.

Correct Answer: A

QUESTION 5

Which three statements are true about Whitelists?

- A. It is a list of all approved, enabled clusters.
- B. It is used to filter network traffic to services in the cluster.
- C. It specifies if clients for specific services on specific ports are denied access.
- D. It is list of clusters accessible to you.
- E. It is an index of approved entities.

Correct Answer: BCD

Reference: <https://docs.oracle.com/cloud-machine/latest/bigdatacm/CSBDM/GUID-4DC086BF-DBB943A0-BE0D-1CCBED87BEB4.htm#CSBDM-GUID-4DC086BF-DBB9-43A0-BE0D-1CCBED87BEB4>

[Latest 1Z0-928 Dumps](#)

[1Z0-928 PDF Dumps](#)

[1Z0-928 Brindumps](#)