

642-873^{Q&As}

Designing Cisco network Service Architectures (ARCH)

Pass Cisco 642-873 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/642-873.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4itsure.com/642-873.html

2022 Latest pass4itsure 642-873 PDF and VCE dumps Download

QUESTION 1

Which two design recommendations are most appropriate when OSPF is the data center core routing protocol? (Choose two.)

- A. Never use passive interfaces.
- B. Use NSSA areas from the core down.
- C. Use totally stub areas to stop type 3 LSAs.
- D. Use the lowest Ethernet interface IP address as the router ID.
- E. Manipulate the reference bandwidth.

Correct Answer: BE

QUESTION 2

What network storage protocol uses a connection standard incompatible with shared 10Gb Ethernet physical connection?

- A. SMB
- B. iSCSI
- C. FC
- D. NFS
- E. CIFS

Correct Answer: C

QUESTION 3

Which two of these correctly describe asymmetric routing and firewalls? (Choose two.)

- A. only operational in routed mode
- B. only operational in transparent mode
- C. only eight interfaces can belong to an asymmetric routing group
- D. operational in both failover and non-failover configurations
- E. only operational when the firewall has been configured for failover

Correct Answer: CD

https://www.pass4itsure.com/642-873.html

2022 Latest pass4itsure 642-873 PDF and VCE dumps Download

QUESTION 4

Which statement about NIC teaming configurations is true?

- A. With ALB, all ports use one IP address and multiple MAC addresses.
- B. With AFT, two NICs connect to the different switches.
- C. With SFT, all ports are active.
- D. With AFT, all ports use one IP address and multiple MAC addresses.

Correct Answer: A

QUESTION 5

Click the Exhibit button.

Refer to the exhibit. Which Layer 2 feature detects a link failure between the switch and router B that decreases OSPF reconvergence to approximately 50 milliseconds?

- A. BFD
- B. UDLD
- C. RSTP
- D. PVST+

Correct Answer: A

642-873 Practice Test

642-873 Study Guide

642-873 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © pass4itsure, All Rights Reserved.