

642-999^{Q&As}

Implementing Cisco Data Center Unified Computing

Pass Cisco 642-999 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/642-999.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers




https://www.pass4itsure.com/642-999.html

2022 Latest pass4itsure 642-999 PDF and VCE dumps Download


QUESTION 1



Hot Area:



Correct Answer:





https://www.pass4itsure.com/642-999.html

2022 Latest pass4itsure 642-999 PDF and VCE dumps Download

QUESTION 2

The system-reserved VLANs within Cisc	o UCS are 3968 t	o 4048 by default.	Where can a use	er change the starting	j value
of this range?					

- A. VLAN manager
- B. global policies
- C. LAN cloud
- D. cannot be changed

Correct Answer: D

QUESTION 3

Which virtual hardware version is required for a VM to enter the Cisco VM-FEX universal passthrough mode?

- A. Version 5
- B. Version 6
- C. Version 7
- D. Version 8
- E. Version 9

Correct Answer: D

QUESTION 4

Select and Place:



https://www.pass4itsure.com/642-999.html 2022 Latest pass4itsure 642-999 PDF and VCE dumps Download

Press the handle down and give the power supply a gentle push inward to ensure that the power supply is fully seated			
Plug the power cable into the corresponding 220 VAC-inlet connector on the PDU at the rear of the chassis			
Connect the other end of the power cable to the AC power source		all	
Connect the DC input wires to the power supply terminal block	CAMPILL		
Place the power supply handle in the up position			
Connect the ground wires to the power supply terminal block			
Tighten the captive sciew			
lold the power supply with both hands and then slide it into the power supply bay			

	Place the power supply handle in the up position
	Hold the power supply with both hands and then slide it into the pow supply bay
	Press the handle down and give the power supply a gentle push inward to ensure that the power supply is fully seated
Connect the DC input wires to the power supply terminal block	Tighten the captive screw
<u> </u>	Plug the power cable into the corresponding 220 VAC-inlet connector on the PDU at the rear of the chassis
Connect the ground wires to the power supply terminal block	Connect the other end of the power cable to the AC power source
Mar	

QUESTION 5



https://www.pass4itsure.com/642-999.html

2022 Latest pass4itsure 642-999 PDF and VCE dumps Download

Which statement about an iSCSI vNIC when it is created with an overlay NIC is true?

- A. It can have any VLAN allowed on it.
- B. It can be assigned a unique MAC address.
- C. It can have a unique pin group assigned to it.
- D. It can have only the overlays native VLAN associated to it.

Correct Answer: D

642-999 PDF Dumps

642-999 Practice Test

642-999 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.