



9L0-012^{Q&As}

Mac Service Certification Exam

Pass Apple 9L0-012 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/9L0-012.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Apple
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What is the maximum amount of memory that is supported in a dual-processor Mac Pro (Mid 2012)?

- A. 64 GB
- B. 32GB
- C. 16 GB
- D. 8 GB

Correct Answer: D

Reference: https://support.apple.com/kb/SP652?locale=en_US

QUESTION 2

What color indicates that the Liquid Contact Indicators inside a MacBook Pro (13-inch, Mid 2012, have been triggered?

- A. Red
- B. Blue
- C. White
- D. Yellow

Correct Answer: A

Explanation: The indicators trigger only with direct contact to a liquid. The indicators will not be triggered by temperature and humidity that is within the product's environmental requirements described by Apple. A triggered indicator will turn red or pink...indicating that the module(s) to which the indicator is attached has been exposed to liquid.

QUESTION 3

You are using a television attached to the HDMI port of a MacBook Pro (Retina, 15-inch Early 2013) but cannot see the menu bar. What section of the Display pane in System Preferences would help with this issue?

- A. Overscan/Underscan
- B. Color Profile
- C. Detect Displays
- D. Gather Windows

Correct Answer: A

Refere <https://support.apple.com/en-us/HT202763>



QUESTION 4

The top case assembly of the MacBook Pro (Retina, 13-inch, Late 2013) includes which of the following parts?

- A. Battery, keyboard, microphone, trackpad, and BMU
- B. Battery, keyboard, microphone, and trackpad
- C. Battery, keyboard, trackpad, and BMU
- D. Battery, keyboard, and microphone

Correct Answer: B

Reference: <https://www.ifixit.com/Guide/MacBook+Pro+13-Inch+Retina+Display+Late+2013+Upper+Case+Replacement/27438>

QUESTION 5

Which of the following parts must be removed prior to replacing the left speaker of the MacBook Air (11inch, Mid 2013)?
SELECT THREE.

- A. Right speaker
- B. Bottom case
- C. Battery
- D. Logic board
- E. I/O Flex cable
- F. Display clamshell
- G. Input device (IPD) flex cable

Correct Answer: BCG

Reference: <https://www.ifixit.com/Guide/MacBook+Air+13-Inch+Mid+2013+Left+Speaker+Replacement/15233>

[Latest 9L0-012 Dumps](#)

[9L0-012 PDF Dumps](#)

[9L0-012 Study Guide](#)