



ACD100^{Q&As}

Appian Certified Associate Developer

Pass Appian ACD100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/acd100.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Appian
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Every business process, whether inside or outside of Appian, requires which of the following?

- A. Human interaction
- B. Defined steps
- C. Reporting
- D. Automation

Correct Answer: B

QUESTION 2

Which function allows you to trigger a process on interface reevaluation and remain on the same interface after the process starts?

- A. a!startProcess
- B. a!dynamicProcess
- C. a!processTaskLink
- D. a!startProcessLink

Correct Answer: A

https://docs.appian.com/suite/help/23.1/Ways_to_Start_a_Process_From_a_Process.html

QUESTION 3

Which environment is most common for User Acceptance Testing?

- A. Production
- B. Development
- C. Staging
- D. Test

Correct Answer: C

The most common environment for User Acceptance Testing (UAT) is usually the staging environment. This is because the staging environment is a near-replica of the production environment and allows users to test the application in a controlled environment before it is deployed to production.

<https://community.appian.com/w/the-appian-playbook/168/recommended-environments>



QUESTION 4

What purpose do default test values serve when creating an interface?

- A. Default test values are used to define local variables in an interface.
- B. Pre-populates rule inputs give designers a representation of what users will see.
- C. Default test values are used to improve the run time performance of an interface.
- D. Pre-populates form data for end users at runtime.

Correct Answer: D

Default test values provide a starting point for users when filling out a form and ensure that the form is populated with valid data. These values can be based on predefined values, constants, expressions or other data sources.

QUESTION 5

Review the following table.

product_id	name	price
1	Blueberries	2.63
2	Apple	0.78
3	Orange	0.30

Which option correctly deletes the last row from the table?

- A. REMOVE product_id = 3 IN product;
- B. DELETE FROM product WHERE product_id = 3;
- C. DELETE product_i = 3 FROM product;
- D. REMOVE FROM product WHERE product_id = 3;

Correct Answer: B

[Latest ACD100 Dumps](#)

[ACD100 Practice Test](#)

[ACD100 Braindumps](#)