



C7010-010^{Q&As}

IBM Cúram V6.0.4 Application Development

Pass IBM C7010-010 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/c7010-010.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

An application's Server Components folder contains the following components: Appeals, core, custom, ISScreening, and ServicePlanning. The SERVER_COMPONENT_ORDER variable is set as follows:
SERVER_COMPONENT_ORDER=custom, ServicePlanning.

Which of the following statements BEST reflects the order of priority (decreasing priority left to right) in which the generators will process the components?

- A. custom, ServicePlanning, core
- B. custom, ServicePlanning
- C. custom, ServicePlanning, Appeals, core, ISScreening
- D. custom, ServicePlanning, Appeals, ISScreening, core
- E. Appeals, custom, ISScreening, ServicePlanning, core

Correct Answer: D

QUESTION 2

Which three of the following entity stereotypes require the user to specify input parameters when modeling? [Select 3]

- A. nkread
- B. nkmodify
- C. nkreadmulti
- D. nsinsert
- E. nsremove
- F. readmulti

Correct Answer: DEF

QUESTION 3



Attribute 1	Attribute 2	Attribute 3	
First	Second	Third	
Fourth	Fifth	Sixth	
Seventh	Eighth	Ninth	

View
Edit
Remove

Which of the following pieces of UIM could be used to create this page section?



C A.

```
<LIST>
  <FIELD LABEL="Field.Title.SampleAttribute1">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeOne"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute2">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeTwo"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute3">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeThree"/>
    </CONNECT>
  </FIELD>
  <ACTION_SET TYPE="LIST_ROW_MENU">
    <ACTION_CONTROL LABEL = "ActionControl.View">
      <LINK PAGE_ID="SampleReadPage">
        <CONNECT>
          <SOURCE NAME="DISPLAY" PROPERTY="id" />
          <TARGET NAME="PAGE" PROPERTY="id" />
        </CONNECT>
      </LINK>
    </ACTION_CONTROL>
    <ACTION_CONTROL LABEL = "ActionControl.Edit">
      <LINK PAGE_ID="SampleEditPage">
        <CONNECT>
          <SOURCE NAME="DISPLAY" PROPERTY="id" />
          <TARGET NAME="PAGE" PROPERTY="id" />
        </CONNECT>
      </LINK>
    </ACTION_CONTROL>
    <ACTION_CONTROL LABEL = "ActionControl.Remove">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </ACTION_CONTROL>
  </ACTION_SET>
</LIST>
```



C B.

```
<LIST>
  <FIELD LABEL="Field.Title.SampleAttribute1">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeOne"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute2">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeTwo"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute3">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeThree"/>
    </CONNECT>
  </FIELD>
  <ACTION_SET TYPE="LIST_ROW_MENU">
    <LINK LABEL="ActionControl.View" PAGE_ID="SampleReadPage">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </LINK>
    <LINK LABEL="ActionControl.Edit" PAGE_ID="SampleEditPage">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </LINK>
    <LINK LABEL="ActionControl.Remove" PAGE_ID="SampleConfirmRemovePage">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </LINK>
  </ACTION_SET>
</LIST>
```




C C.

```
<LIST>
  <FIELD LABEL="Field.Title.SampleAttribute1">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeOne"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute2">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeTwo"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute3">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeThree"/>
    </CONNECT>
  </FIELD>
  <CONTAINER TYPE="LIST_ROW_MENU">
    <ACTION_CONTROL LABEL="ActionControl.View">
      <LINK PAGE_ID="SampleReadPage">
        <CONNECT>
          <SOURCE NAME="DISPLAY" PROPERTY="id" />
          <TARGET NAME="PAGE" PROPERTY="id" />
        </CONNECT>
      </LINK>
    </ACTION_CONTROL>
    <ACTION_CONTROL LABEL="ActionControl.Edit">
      <LINK PAGE_ID="SampleEditPage">
        <CONNECT>
          <SOURCE NAME="DISPLAY" PROPERTY="id" />
          <TARGET NAME="PAGE" PROPERTY="id" />
        </CONNECT>
      </LINK>
    </ACTION_CONTROL>
    <ACTION_CONTROL LABEL="ActionControl.Remove">
      <LINK PAGE_ID="SampleConfirmRemovePage">
        <CONNECT>
          <SOURCE NAME="DISPLAY" PROPERTY="id" />
          <TARGET NAME="PAGE" PROPERTY="id" />
        </CONNECT>
      </LINK>
    </ACTION_CONTROL>
  </CONTAINER>
</LIST>
```



C D.

```
<LIST>
  <FIELD LABEL="Field.Title.SampleAttribute1">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeOne"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute2">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeTwo"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute3">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeThree"/>
    </CONNECT>
  </FIELD>
  <ACTION_SET TYPE="LIST_ROW_MENU">
    <ACTION_CONTROL LABEL="ActionControl.View" LINK_TO="SampleReadPage">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </ACTION_CONTROL>
    <ACTION_CONTROL LABEL="ActionControl.Edit" LINK_TO="SampleEditPage">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </ACTION_CONTROL>
    <ACTION_CONTROL LABEL="ActionControl.Remove" LINK_TO="SampleConfirmRemovePa">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </ACTION_CONTROL>
  </ACTION_SET>
</LIST>
```


- A. Exhibit A
- B. Exhibit B
- C. Exhibit C
- D. Exhibit D

Correct Answer: A

QUESTION 4



Review the following model:



Based on the model shown above, what will be the result of a build generated command?

- A. Build Failed: The entity named TheEntity cannot have a non-default stereotyped operation
- B. Build Successful (Warning: Unrecognized stereotype '\\blank\\' in entity named TheEntity)
- C. Build Failed: The entity named TheEntity defines an operation stereotyped using a reserved keyword '\\blank\\'
- D. Build Successful

Correct Answer: B

QUESTION 5

Which two of the following statements about Façade and Process classes are true? [Select 2]

- A. Façade classes may only have public methods, whereas Process classes can also have protected methods
- B. Façade classes have methods that can be invoked by the client application, whereas Process classes do not
- C. A Process class can be configured as visible to the client application if the SetClientVisible property is set to true
- D. The same operation stereotypes can be used in Façade and Process classes
- E. Façade classes form part of the Service Layer

Correct Answer: BD

[C7010-010 PDF Dumps](#)

[C7010-010 VCE Dumps](#)

[C7010-010 Brainsdumps](#)