



# CWDP-304<sup>Q&As</sup>

Certified Wireless Design Professional

**Pass CWNP CWDP-304 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/cwdp-304.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CWNP  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What is a valid 40 MHz channel configuration in the 2.4 GHz ISM band where channels 1- 11 are permitted?

- A. 4 (primary), +1 (secondary)
- B. 2 (primary), -1 (secondary)
- C. 8 (primary), +1 (secondary)
- D. 1 (primary), 6 (secondary)

Correct Answer: A

---

**QUESTION 2**

Left to its simplest form, what method does a location algorithm use to determine location within a WLAN coverage area? Response:

- A. Inverse cube law
- B. FSPL
- C. RF fingerprinting
- D. 802.11 clause 16

Correct Answer: B

---

**QUESTION 3**

What is the chip rate of 1 Mbps 802.11b? Response:

- A. 11 Mchips/s
- B. 2 Mchips/s
- C. 1 Mchip/s
- D. 22 Mchips/s

Correct Answer: A

---

**QUESTION 4**

What differences exist between VLANs in wireless and wired domains?

Response:



- A. Wireless VLANs are not effective for segmenting the available services and network permissions available to clients. Wired VLANs are effective for this purpose.
- B. Wireless VLANs are never carried in 802.11 frames that cross the wireless medium. VLAN identifiers are always carried in Ethernet frames to indicate the proper VLAN.
- C. Wireless VLANs do not always segment traffic into separate broadcast domains on the wireless medium. Wired VLANs do segment broadcast domains on the wired network.
- D. Wireless VLANs are not an effective way to utilize a single set of infrastructure equipment to provide different services to different client groups. Wired VLANs are effective for this purpose.

Correct Answer: C

---

#### QUESTION 5

What metric implements the simplest algorithm and lowest accuracy in networks requiring locations?

Response:

- A. Angle of Arrival (AoA)
- B. Time of Arrival (ToA)
- C. Time Difference of Arrival (TDoA)
- D. Received Signal Strength Indicator (RSSI)

Correct Answer: D

[Latest CWDP-304 Dumps](#)

[CWDP-304 VCE Dumps](#)

[CWDP-304 Brindumps](#)