



# DES-1423<sup>Q&As</sup>

Specialist Implementation Engineer Isilon Solutions Exam

**Pass EMC DES-1423 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/des-1423.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which deduplication phase is excluded from the Dry Run process?

- A. Commonality Detection
- B. Sharing
- C. Sampling
- D. Index Updating

Correct Answer: D

---

**QUESTION 2**

A company has an existing 8-node F800 Isilon cluster with two Z9100 Dell Ethernet back-end switches running on OneFS 8.2.0. The company is planning to add 72 A200 nodes into the cluster. What is the minimum number of additional switches required to support the configuration?

- A. 2
- B. 3
- C. 4
- D. 6

Correct Answer: D

---

**QUESTION 3**

In an Isilon environment, what is a requirement to join multiple, untrusted Active Directory (AD) authentication sources to an access zone?

- A. Must use a common /ifs tree for all access zones.
- B. Only one of the AD provider instances can exist in a zone at one time.
- C. All untrusted AD provider instances must exist in all access zones.
- D. Must only join Active Directory domains in the same forest.

Correct Answer: B

---

**QUESTION 4**

How many Active Directory provider instances can be configured per access zone?



A. 1

B. 2

C. 3

D. 4

Correct Answer: A

Reference: [http://doc.isilon.com/onefs/zzz\\_archive/cloudpools\\_staging/ifs\\_c\\_active\\_directory.html](http://doc.isilon.com/onefs/zzz_archive/cloudpools_staging/ifs_c_active_directory.html)

---

### QUESTION 5

An Isilon administrator is receiving "permission denied" while accessing a file on a cluster that an end-user created through an SMB share. The end-user is unable to access the share from their UNIX server. The end-user "mydomain.com \win\_user1" as the login name to access the Microsoft Windows share and then used an LDAP account name of "ux\_user1" to access the UNIX mount. The Isilon cluster is joined to the "mydomain.com" Active Directory domain. In addition, the cluster has an LDAP provider attached to it while the on-disk identity is set as "Native".

What is a possible cause for this permission issue?

A. Usermapping rule is not present.

B. RFC2307 is not configured on the Active Directory.

C. On-disk identity is set as "Native".

D. Fake UID generation in the cluster is disabled.

Correct Answer: B

[DES-1423 PDF Dumps](#)

[DES-1423 VCE Dumps](#)

[DES-1423 Brindumps](#)