



NCA-6.5^{Q&As}

Nutanix Certified Associate (NCA) v6.5 exam

Pass Nutanix NCA-6.5 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/nca-6-5.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

An Administrator needs to provide users access to prism Central Projects.

What Source of user accounts must the administrator Use?

- A. Local Users
- B. Open LDAP
- C. Active Directory
- D. SAML2 Provider

Correct Answer: C

QUESTION 2

What resource should be used to ensure a successful upgrade of the hypervisors and AOS within a vSphere-based Nutanix cluster?

- A. Upgrade Paths
- B. Field Advisories
- C. Compatibility and Interoperability Matrix
- D. Hardware Replacement Documentation

Correct Answer: C

The Compatibility and Interoperability Matrix (CIM) is the resource that should be used to ensure a successful upgrade of the hypervisors and AOS within a vSphere-based Nutanix cluster. The CIM provides information about the compatibility

and interoperability of the different components of the Nutanix cluster, including the hypervisors, AOS, and other related components.

Reference: <https://www.nutanix.com/support/compatibility-matrix/>

QUESTION 3

An administrator wants to evaluate the overall health of the Nutanix cluster. What should be the first step?

- A. Run NCC
- B. Run Log Collector
- C. Run Xi Beam D. Run LCM

Correct Answer: A

**QUESTION 4**

A single host in a four-node AHV-based cluster experiences a complete network failure.

If more than enough resources exist in the cluster to tolerate a node failure, what happens to the user VMs running on that host?

- A. VMs remain down until network connectivity is restored.
- B. VMs stay up, but are unreachable until connectivity is restored.
- C. VMs automatically restart on the three remaining hosts.
- D. VMs are live-migrated to the three remaining hosts.

Correct Answer: B

In the case of a single host in a four-node AHV-based cluster experiencing a complete network failure, the user VMs running on that host will stay up, but will be unreachable until connectivity is restored. This is because if more than enough resources exist in the cluster to tolerate a node failure, the VMs will continue to run, but will be unable to communicate with other nodes in the cluster due to the network failure. This is stated in the official Nutanix Certified Associate (NCA) v6.5 study guide on page 49, under the heading "Virtual Machine Availability in the Event of Node Failure".

QUESTION 5

Which feature enables Image Placement Policies to be mapped to target clusters?

- A. YAML
- B. Labels
- C. JSON
- D. Categories

Correct Answer: D

Categories enable Image Placement Policies to be mapped to target clusters by defining a set of key-value pairs that can be applied to clusters, hosts, or VMs. Categories can be used to control where images are replicated and stored.

References:

<https://www.nutanix.com/content/dam/nutanix/resources/misc/ebg-nca-6-5.pdf> (page 23)

[Latest NCA-6.5 Dumps](#)

[NCA-6.5 Study Guide](#)

[NCA-6.5 Exam Questions](#)