



# NCP-US-6.5<sup>Q&As</sup>

Nutanix Certified Professional - Unified Storage (NCP-US) v6.5

**Pass Nutanix NCP-US-6.5 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ncp-us-6-5.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which user is authorized to deploy File Analytics?

- A. Prism Central administrator
- B. AD user mapped to a Prism admin role
- C. Prism Element administrator
- D. AD user mapped to a Cluster admin role

Correct Answer: A

Explanation: The user that is authorized to deploy File Analytics is Prism Central administrator. Prism Central is a web-based user interface that allows administrators to manage multiple Nutanix clusters and services, including Files and File Analytics. Prism Central administrator is a user role that has full access and control over all Prism Central features and functions. To deploy File Analytics, the user must log in to Prism Central as a Prism Central administrator and follow the steps in the File Analytics Deployment wizard. References: Nutanix Files Administration Guide, page 93; Nutanix File Analytics Deployment Guide

---

**QUESTION 2**

An administrator has created a volume and needs to attach it to a windows host a via iSCSI. The data Services IP has been configured in the MS iSCSI Initiator, but no target are visible.

What is most likely the cause this issue?

- A. The host\\'s IP address is not authorized to access the volume.
- B. The CHAP password configured on the client is incorrect.
- C. The CHAP Authentication has not been configured on the client.
- D. The host\\'s IQN is not authorized to access to the volume.

Correct Answer: D

Explanation: Nutanix Volumes uses IQN-based authorization to control access to volumes. The administrator must specify the IQN of the host that needs to access the volume when creating or editing the volume. If the host\\'s IQN is not authorized, it will not be able to see the target in the MS iSCSI Initiator3. References: Nutanix Volumes Administration Guide3

---

**QUESTION 3**

An administrator is trying to create a Distributed Share, but the Use Distributed Share/Export type instead of Standard option is not present when creating the share.

What is most likely the cause for this?

- A. The file server does not have the correct license



- B. The cluster only has three nodes.
- C. The file server resides on a single node cluster.
- D. The cluster is configured with hybrid storage

Correct Answer: C

Explanation: The most likely cause for this issue is that the file server resides on a single node cluster. A distributed share is a type of SMB share or NFS export that distributes the hosting of top-level directories across multiple FSVMs, which improves load balancing and performance. A distributed share cannot be created on a single node cluster, because there is only one FSVM available. A distributed share requires at least two nodes in the cluster to distribute the directories. Therefore, the option to use distributed share/export type instead of standard is not present when creating a share on a single node cluster. References: Nutanix Files Administration Guide, page 33; Nutanix Files Solution Guide, page 8

---

#### QUESTION 4

What is a prerequisite for deploying Smart DR?

- A. Requires one-to-many shares.
- B. The Files Manager must have at least three file servers.
- C. The primary and recovery file servers must have the same domain name.
- D. Open TCP port 7515 on all client network IPs (uni-directionally on the source and recovery file servers).

Correct Answer: D

Explanation: Smart DR is a feature that allows share-level replication between active file server instances for disaster recovery. To configure Smart DR, one of the prerequisites is to open TCP port 7515 on all client network IPs (unidirectionally on the source and recovery file servers). This port is used for communication between the FSVMs and the replication engine. References: Nutanix Files Administration Guide, page 79; Nutanix Files Solution Guide, page 9

---

#### QUESTION 5

Users are complaining about having to reconnecting to share when there are networking issues.

Which files feature should the administrator enable to ensure the sessions will auto- reconnect in such events?

- A. Durable File Handles
- B. Multi-Protocol Shares
- C. Connected Shares
- D. Workload Optimization

Correct Answer: A

Explanation: The Files feature that the administrator should enable to ensure the sessions will auto-reconnect in such events is Durable File Handles. Durable File Handles is a feature that allows SMB clients to reconnect to a file server

---



after a temporary network disruption or a client sleep state without losing the handle to the open file. Durable File Handles can improve the user experience and reduce the risk of data loss or corruption. Durable File Handles can be enabled for each share in the Files Console. References: Nutanix Files Administration Guide, page 76; Nutanix Files Solution Guide, page 10

[NCP-US-6.5 VCE Dumps](#)

[NCP-US-6.5 Study Guide](#)

[NCP-US-6.5 Braindumps](#)