



NS0-403^{Q&As}

NetApp Certified Hybrid Cloud Implementation Engineer

Pass NetApp NS0-403 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-403.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.

```
{
  "version": 1,
  "storageDriverName": "solidfire-san",
  "Endpoint": "https://<user>:<password>@<mvip>/json-rpc/8.0",
  "SVIP": "<svip>:3260",
  "TenantName": "<tenant>",
  "UseCHAP": true,
  "Types": [
    {"Type": "Bronze", "Qos": {"minIOPS": 1000, "maxIOPS": 2000, "burstIOPS": 4000}},
    {"Type": "Silver", "Qos": {"minIOPS": 4000, "maxIOPS": 6000, "burstIOPS": 8000}},
    {"Type": "Gold", "Qos": {"minIOPS": 6000, "maxIOPS": 8000, "burstIOPS": 10000}},
  ],
  "defaults":
  [ "type": "Silver" ]
}
```

Refer to the exhibit and the Storage Class information shown below.

```
apiVersion:
storage.k8s.io/v1beta1 kind:
StorageClass
metadata:
  name: storage-class1
provisioner: cli.trident.netapp.io
parameters:
  backendType: "solidfire-san"
  IOPS: 50
```

What are the minimum IOPS, maximum IOPS, and burst IOPS assigned to the persistent volumes that were created by Trident?

- A. "minIOPS": 6000, "maxIOPS": 8000, "burstIOPS": 10000
- B. "minIOPS": 4000, "maxIOPS": 6000, "burstIOPS": 8000
- C. "minIOPS": 50, "maxIOPS": 50, "burstIOPS": 50
- D. "minIOPS": 1000, "maxIOPS": 2000, "burstIOPS": 4000

Correct Answer: D

QUESTION 2

During software development, a team creates use cases, class diagrams, Unified Modeling Language models, software architecture documents, requirements documents, and design documents. Collectively, in this scenario, what are these tangible by-products called?



- A. application programming interface
- B. software development kits
- C. build tools
- D. artifacts

Correct Answer: B

QUESTION 3

What are the three pillars of observability in DevOps? (Choose three.)

- A. traces
- B. errors
- C. metrics
- D. versions
- E. logs

Correct Answer: ACE

Explanation: <https://www.dynatrace.com/resources/ebooks/three-pillars-of-observability/#:~:text=Observability%20is%20divided%20into%20three,called%20three%20pillars%20of%20observability.>

QUESTION 4

Your company uses all four of NetApp's storage offerings: ONTAP, StorageGRID, Element, and E-Series. You are asked to provide persistent storage to the OpenShift group by using NFS.

In this scenario, which of the available storage deployments would provide access?

- A. StorageGRID
- B. ONTAP Select
- C. E-Series
- D. Element

Correct Answer: C

QUESTION 5

You are asked to provision storage for a development team to make use of NetApp Trident in their Kubernetes environment. You want to ensure that Trident will not be able to exhaust the storage system resources.



In this scenario, which two actions would you take to satisfy the requirements? (Choose two.)

- A. Limit the maximum volume count.
- B. Limit the available data LIFs.
- C. Use a shared SVM.
- D. Limit the maximum volume size.

Correct Answer: A

[NS0-403 Practice Test](#)

[NS0-403 Study Guide](#)

[NS0-403 Exam Questions](#)