



NSE8_810^{Q&As}

Fortinet Network Security Expert 8 Written Exam (810)

Pass Fortinet NSE8_810 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/nse8_810.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Your client wants to use a central RADIUS server for management authentication when connecting to the FortiGate GUL and provide different levels of access for different types of employees.

Which three actions required providing the requested functionality? (Choose three.)

- A. Enable radius-vdom-override in the CLI.
- B. Create a wildcard administrator on the FortGate
- C. Enable occprofile-override in the CLI.
- D. Set the RADIUS authentication type to MS-CHAPV2.
- E. Create multiple administrator profiles with matching RADIUS VSAs.

Correct Answer: ABC

QUESTION 2

Click the exhibit button.

A FortiGate device is configured to authenticate SSL VPN users using digital certificates. Part of the FortiGate configuration is shown in the exhibit.

Which two statements are true in this scenario? (Choose two.)

```
config vpn certificate setting
  set ocsp-status enable
  set-ocsp-default-server "FAC"
  set strict-ocsp-check enable
end
config user peer
edit _any_
  set ca CA_Cert
  set ldap-server Training-Lab
  set ldap-mode principal-name
next
end
config user group
  edit "SSLVPN_Users"
  set member "_any_"
  next
end
```

- A. The authentication will fail if the OCSP server is down.



- B. OCSP is used to verify that the user-signed certificate has not expired.
- C. The authentication will fail if the certificate does not contain user principle name (UPN) information.
- D. The authentication will fail if the user certificate does not contain the CA_Cert string in the Failed.

Correct Answer: BC

QUESTION 3

Click the Exhibit button.



Exhibit



```
FS448D-A (LAG-1) # show
config switch trunk
edit "LAG-1"
set mode lacp-active
set-mclag-icl enable
set members "port13" "port14"
next
end

FS448D-B (LAG-2) # show
config switch trunk
edit "LAG-2"
set mode lacp-active
set-mclag-icl enable
set members "port13" "port14"
next
end

FortiGate-A # show switch-controller managed-switch
config switch-controller managed-switch
edit FS448D-A
config ports
edit "LAG-3"
set type trunk
set mode lacp-active
set mclag enable
set members "port15"
next
end
next
edit FS448D-B
config ports
edit "LAG-3"
set type trunk
set mode lacp-active
set mclag enable
set members "port15"
next
end
next
end
```



Referring to the exhibit, which two statements are true? (Choose two.)

- A. port13 and port14 on FS448D-A should be connected to port13 and port14 on FS448D-B
- B. LAG-1 and LAG 2 should be connected to a single 4-port 802 3ad interface on the FortiGate-A.
- C. LAG-3 on switches on FS448D-A and FS448D-B may be connected to a single 802 3ad trunk on another device.
- D. LAG-1 and LAG-2 should be connected to a 4-port single 802 3ad trunk on another device.

Correct Answer: BC

QUESTION 4

FortiMail configured with the protected domain "internal lab".

Which two envelopes addresses will need an access control rule to relay e-mail sent for unauthenticated users? (Choose two.)

- A. MAIL FROM: traming@fortinet com: RCPT TO: student@fortmet com
- B. MAIL FROM student@fortinet com: RCPT TO student@internal.lab
- C. MAIL FROM: trainmg@internallab; RCPT TO student@mternallab
- D. MAIL FROM student@internal lab: RCPT TO student@fortmet.com

Correct Answer: BC

QUESTION 5

You want to manage a FortiCloud service. The FortiGate shows up in your list devices on the FortiCloud Web site, but all management functions are either missing or grayed out. Which statement a correct in this scenario?

- A. The managed FcrtGate a running a version of ForfIOS that is either too new or too for FortCloud.
- B. The managed FortiGate requires that a FortiCloud management license be purchased and applied.
- C. You must manually configure system control-management on the FortiGate CLI and set the management type to fortiguard.
- D. The management tunnel mode on the managed FortiGate must be changed to normal.

Correct Answer: C

[Latest NSE8_810 Dumps](#)

[NSE8_810 VCE Dumps](#)

[NSE8_810 Practice Test](#)