



PDI^{Q&As}

Salesforce Certification for Platform Developer I

Pass Salesforce PDI Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/pdi.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A developer must implement a CheckPaymentProcessor class that provides check processing payment capabilities that adhere to what defined for payments in the PaymentProcessor interface. `public interface PaymentProcessor { void pay(Decimal amount); }` Which is the correct implementation to use the PaymentProcessor interface class?

- A. `Public class CheckPaymentProcessor implements PaymentProcessor { public void pay(Decimal amount) {} }`
- B. `Public class CheckPaymentProcessor implements PaymentProcessor { public void pay(Decimal amount); }`
- C. `Public class CheckPaymentProcessor extends PaymentProcessor { public void pay(Decimal amount); }`
- D. `Public class CheckPaymentProcessor extends PaymentProcessor { public void pay(Decimal amount) {} }`

Correct Answer: B

QUESTION 2

Universal Containers (UC) processes orders in Salesforce in a custom object, Order_c. They also allow sales reps to upload CSV files with orders at a time.

A developer is tasked with integrating orders placed in Salesforce with UC's enterprise resource planning (ERP) system.

After the status for an Order_c is first set to "Placed", the order information must be sent to a REST endpoint in the ERP system that can process one order at a time.

What should the developer implement to accomplish this?

- A. Callout from an Apex method called from a trigger
- B. Callout from a Synchronous class called from a scheduled job
- C. Flow with 2 callout from an invocable method
- D. Callout from a Queueable class called from a trigger

Correct Answer: A

QUESTION 3

A developer creates an Apex Trigger with the following code block:
`List<Account> customers = new List<>();
trigger.new.forEach(o => {
 Account a = [SELECT Id, Is_Customer_c FROM Account WHERE Id =:o.Customer_c];
 a.Is_Customer_c = true;
 customers.add(a);
});
Database.update(customers, false);`
The developer tests the code using Apex Data Loader and successfully loads 10 Orders. Then, the developer loads 150 Orders. How many Orders are successfully loaded when the developer attempts to load the 150 Orders?

- A. 0



- B. 1
- C. 150
- D. 100

Correct Answer: A

QUESTION 4

Which is a valid Apex assignment?

- A. Integer x = 5.0;
- B. Float x = 5.0;
- C. Integer x = 5*1.0;
- D. Double x = 5;

Correct Answer: D

QUESTION 5

Which declarative process automation feature supports iterating over multiple records?

- A. Flows
- B. Validation Rules
- C. Approval Process
- D. Workflow rules

Correct Answer: A

[Latest PDI Dumps](#)

[PDI VCE Dumps](#)

[PDI Study Guide](#)