



VCP5-DCV^{Q&As}

VMware Certified Professional 5 – Data Center Virtualization
(VCP5-DCV) Exam

Pass VMware VCP5-DCV Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/vcp5-dcv.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

An administrator needs to configure an alarm that notifies administrators if an application is impacted by overcommitment of memory resources. The environment consists of 100 virtual machines running on 5 ESXi hosts that are configured in a fully automated HA/DRS cluster. The cluster is configured with a parent resource pool and Production and Development child pools.

Where should the administrator set the alarm to meet the requirement?

- A. On each virtual machine
- B. On each host
- C. On the Production resource pool
- D. On the cluster

Correct Answer: D

QUESTION 2

When would a license server be configured for vCenter Server 5.x?

- A. When managing ESX 3.x servers
- B. When the vCenter Server Virtual Appliance (vCSA) is used
- C. Within the first 60 days
- D. A standalone license server is installed by default

Correct Answer: A

Reference: http://kb.vmware.com/selfservice/microsites/search.do?language=en_US&cmd=displayKCa&externalId=1010704

QUESTION 3

When an explicit failover order has been configured on a virtual switch with multiple uplinks, what determines which uplink is used when a failover event occurs?

- A. The first available uplink that reports a positive link state
- B. The reported uptime for the surviving uplinks
- C. The next available uplink on the list
- D. The uplink with the shortest route

Correct Answer: C



The next uplink is used logically when a failover event occurs. The next available uplink on the list will be the new uplink.

QUESTION 4

Which two conditions could prevent HA from powering on a virtual machine? (Choose two.)

- A. There is not enough free memory to meet the guests memory reservation.
- B. The virtual machine has been assigned a required affinity rule.
- C. Strict admission control is disabled for the HA cluster.
- D. The vCenter is hosted on the ESXi host that failed.

Correct Answer: AB

Reference: [http://pubs.vmware.com/vsphere-50/index.jsp?topic= %2Fcom.vmware.vsphere.troubleshooting.doc_50%2FGUID-A7C83499-FA81-4893-8376- A4B91AC81FA7.html](http://pubs.vmware.com/vsphere-50/index.jsp?topic=%2Fcom.vmware.vsphere.troubleshooting.doc_50%2FGUID-A7C83499-FA81-4893-8376-A4B91AC81FA7.html)

QUESTION 5

What reasons would prevent an administrator from deploying a virtual machine from a template? (Choose two.)

- A. The template is missing the .vmx configuration file.
- B. The vSphere Client is connected to an ESXi host.
- C. The template is listed as Orphaned.
- D. The administrator is using the vSphere Web Client.

Correct Answer: BC

When vSphere client is connected to an ESXi host, you cannot deploy a VM from a template. Similarly, if the template is listed orphaned, you cannot deploy a VM from it.

[Latest VCP5-DCV Dumps](#)

[VCP5-DCV PDF Dumps](#)

[VCP5-DCV Brindumps](#)