



VCS-278^{Q&As}

Administration of Veritas NetBackup 8.1.2

Pass Veritas VCS-278 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/vcs-278.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

The nbemmcmd -getemmserver command on a new NetBackup media server produces the error displayed below.

Failed to initialize EMM connection.

Which two steps are used to diagnose the issue? (Choose two.)

- A. Verify that the nbemm and pbx_exchange daemons/services are running on the master server.
- B. Telnet from the master server to the media server\\'s VNETD port.
- C. Verify that network access to the master server is available.
- D. Remove the media server name from the additional servers list on the master server.
- E. Run the bpcintcmd -hn command on the master server to confirm that the master server was able to resolve its own hostname.

Correct Answer: AC

QUESTION 2

Which statement about Microsoft Exchange backups is true in NetBackup?

- A. Individual mail messages can be restored.
- B. Exchange must be shut down to be backed up consistently.
- C. The entire Exchange database must be restored as a whole.
- D. Individual Exchange mailboxes can be restored, but not individual messages.

Correct Answer: A

Granular Recovery Technology provides this functionality for Exchange.

QUESTION 3

Where are the NetBackup track logs located by default when backing up a NetApp filer using the NDMP policy type with NetBackup Accelerator enabled?

- A. on a NetBackup client
- B. on the NetApp filer
- C. on a user defined network share
- D. on the NetBackup master and media server

Correct Answer: B



Reference: https://www.veritas.com/support/en_US/doc/24427212-126400885-0/v99897177-126400885

QUESTION 4

A backup job fails with the status code of 96. To troubleshoot the failure, the administrator wants to view the application log files written by the NetBackup Resource Broker.

Which command should the administrator run to find the date, time and message text from the log file?

- A. `vxlogview -o 118 --display D,T,x`
- B. `vxlogview -p 51216 -d m,p,x`
- C. `vxlogview -o 118 --display D,T,m`
- D. `vxlogview -p 50936 --display D,T,m`

Correct Answer: B

Reference: https://www.veritas.com/content/support/en_US/doc/86063237-127664518-1

QUESTION 5

An administrator needs to store secure tape copies of protected data to an offsite location.

How can the administrator automatically eject tape media daily and create detailed reports?

- A. encrypt the tapes using software encryption and use a storage lifecycle policy to perform automatic ejects and create reports.
- B. enable the encryption attribute on the vault policy to perform automated ejects and create reports.
- C. use tape drives that support hardware encryption and use a vault policy to perform automated ejects and create reports.
- D. use tape drives that support hardware encryption and use a storage lifecycle policy to perform automated ejects and create reports.

Correct Answer: C

[Latest VCS-278 Dumps](#)

[VCS-278 Practice Test](#)

[VCS-278 Study Guide](#)