



NS0-593^{Q&As}

NetApp Certified Support Engineer ONTAP Specialist

Pass NetApp NS0-593 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-593.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You notice poor performance on your FlexGroup and execute the system node run -node * flexgroup show command for more Information. You notice the "Urge" column has non-zero values.

In this scenario, which statement is true?

- A. The aggregate is completely full.
- B. The constituent volumes are out of nodes.
- C. The data placement is uneven.
- D. The constituent volumes are completely full.

Correct Answer: A

QUESTION 2

Your customer complains that a host will constantly report losing a connection to the iSCSI target and then report that the session was reestablished.

```
Tue Sep 04 16:18:26 CDT [PRD-NTAP-01: iswti_iscsip_thread: iscsi.notice:notice]: ISCSI: New session from initiator iqn.1991-05.com.microsoft:prd-app-01.netapp.com at IP addr 172.20.10.80
Tue Sep 04 16:18:26 CDT [PRD-NTAP-01: iswti_iscsip_thread: iscsi.warning:warning]: ISCSI: New session request from initiator iqn.1991-05.com.microsoft:prd-app-01.netapp.com, a session from this initiator already exists.
Tue Sep 04 16:19:02 CDT [PRD-NTAP-01: iswti_iscsip_thread: iscsi.notice:notice]: ISCSI: New session from initiator iqn.1991-05.com.microsoft:prd-app-01.netapp.com at IP addr 10.10.20.60
Tue Sep 04 16:20:09 CDT [PRD-NTAP-01: iswti_iscsip_thread: iscsi.warning:warning]: ISCSI: New session request from initiator iqn.1991-05.com.microsoft:prd-app-01.netapp.com, a session from this initiator already exists.
Tue Sep 04 16:20:11 CDT [PRD-NTAP-01: iswti_iscsip_thread: iscsi.notice:notice]: ISCSI: New session from initiator iqn.1991-05.com.microsoft:prd-app-01.netapp.com at IP addr 10.10.20.60
Tue Sep 04 16:20:11 CDT [PRD-NTAP-01: iswti_iscsip_thread: iscsi.warning:warning]: ISCSI: New session request from initiator iqn.1991-05.com.microsoft:prd-app-01.netapp.com, a session from this initiator already exists.
Tue Sep 04 16:20:45 CDT [PRD-NTAP-01: iswti_iscsip_thread: iscsi.notice:notice]: ISCSI: New session from initiator iqn.1991-05.com.microsoft:prd-app-01.netapp.com at IP addr 172.20.10.80
```

As shown in the exhibit, what is a cause of this flapping?

- A. A host with an IP address of 172.20.10.80 and a second host with an IP address of 10.10.20.60 have the same IQN.
- B. A host with an IP address of 172.20.10.80 and a second host with an IP address of 10.10.20.60 are in different initiator groups.
- C. A host with an IP address of 172.20.10.80 and a second host with an IP address of 10.10.20.60 are accessing the same LUN.
- D. A host with an IP address of 172.20.10.80 and a second IP address of 10.10.20.60 is accessing different LUNs.

Correct Answer: C

**QUESTION 3**

Which two automation methods does NetApp ONTAP Select support? (Choose two.)

- A. REST
- B. Ansible
- C. Docker
- D. PHP

Correct Answer: AB

QUESTION 4

Your customer has deployed a two petabyte NetApp ONTAP FlexGroup volume across their 4-node ONTAP 9.8 cluster. They plan to store over three billion files. They want to prevent file 10 conflicts since files are placed into the FlexGroup volume.

In this scenario, which two NFS SVM parameters should be enabled? (Choose two.)

- A. -v3-64bit-identifiers
- B. -v4-fsid-change
- C. -v3-fsid-change
- D. -v4-64bit-identifiers

Correct Answer: AC

QUESTION 5

You have a customer complaining of long build times from their NetApp ONTAP-based datastores. They provided you packet traces from the controller and client. Analysis of these traces shows an average service response time of 1 ms. QoS output confirms the same. The client traces are reporting an average of 15 ms in the same time period.

In this situation, what would be your next step?

- A. The cluster is responding slowly and requires further investigation using performance archives.
- B. The client that reports high latency should be investigated.
- C. The cluster interconnects should be investigated.
- D. A sync core should be triggered.

Correct Answer: B

QUESTION 6



An administrator receives the following error message:

```
Mon Dec 23 00:20:36 EST [nodeA: waf1_exempt08: waf1.cp.toolong:error]: Aggregate
fas_01_DATA_AGGR experienced a long CP.
```

What are two causes for this error? (Choose two.)

- A. There is excessive SSD load causing the wear leveling to become unbalanced.
- B. A disk is failing.
- C. There is excessive SATA HDD load.
- D. An SSD disk is performing garbage collection to create a dense data layout.

Correct Answer: AC

QUESTION 7

You are optimizing your Cloud Volumes ONTAP. For interoperability and consolidation purposes, you need to know the storage limits. In this scenario, which source should be reviewed?

- A. NetApp Cloud Volumes ONTAP Release Notes
- B. Hardware Universe
- C. Interoperability Matrix Tool (IMT)
- D. Cloud Central

Correct Answer: A

QUESTION 8

A customer enabled NFSv4.0 on an SVM and changed the client mount from NFSv3 to NFSv4. Afterwards, the customer found that the directory owner was changed from root to nobody. In this scenario, which statement is true?

- A. The customer did not configure name services on the SVM.
- B. The clients must be restarted to start using NFSv4.
- C. The export policy is not configured properly.
- D. The ID mapping domains do not match between the client and server.

Correct Answer: C

QUESTION 9

After users start reporting the inability to create new files in a CIFS share, you find EMS events for waf1.dir.size.max



logged for the volume of the SVM to which the share points.

In this scenario, which action should you take to solve this issue?

- A. Delete unneeded files from the directory.
- B. Move the volume to a different aggregate.
- C. Increase the maximum number of files for the volume.
- D. Increase the maximum directory size for the volume.

Correct Answer: C

QUESTION 10

A customer reports that while installing Windows updates on their external Vscan servers, clients could not access any files on their CIFS SVM. The problem disappeared after the update process was completed. The customer wants to prevent this issue from happening during the next patch window.

In this scenario, what are two ways to accomplish this task? (Choose two.)

- A. Enable the -scan-mandatory flag in the Vscan policy.
- B. Update the Vscan servers one at a time.
- C. Modify the CIFS shares to be continuously available (CA) shares.
- D. Disable the -scan-mandatory flag in the Vscan policy.

Correct Answer: AC

[NS0-593 Practice Test](#)

[NS0-593 Exam Questions](#)

[NS0-593 Braindumps](#)