



# NSE5\_FMG-5.4<sup>Q&As</sup>

FortiManager 5.4 Specialist

## Pass Fortinet NSE5\_FMG-5.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.pass4itsure.com/nse5\\_fmg-5-4.html](https://www.pass4itsure.com/nse5_fmg-5-4.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

What type of access is automatically enabled on an interface after it is added to FortiClient Manager?

- A. Device Detection
- B. FortiTelemetry
- C. CAPWAP
- D. FMG-Access

Correct Answer: B

---

### QUESTION 2

What does a policy package status of Conflict indicate?


- A. Policy package configuration has been changed on both FortiManager and the managed device independently.
- B. The policy package reports inconsistencies and conflicts during a Policy Consistency Check
- C. The policy package doesn't have a FortiGate as the installation target.
- D. Policy configuration has never been imported after a device was registered on FortiManager

Correct Answer: B

---

### QUESTION 3

View the following exhibit:



An administrator, Trainer, who is assigned the Super\_User profile, is trying to approve a workflow session that was submitted by another administrator, Student. However, Trainer is unable to approve the workflow session. What can prevent an admin account that has Super\_User rights over the device from approving a workflow session?

- A. Trainer must close Student's workflow session before approving the request.
- B. Trainer does not have full rights over this ADOM.
- C. Trainer is not a part of workflow approval group.
- D. Student, who submitted the workflow session, must first self-approve the request.

Correct Answer: C

#### QUESTION 4

View the following exhibit:



## Starting log (Run on device)

### Start installing

```
Local-FortiGate $ config user device
Local-FortiGate (device) $ edit "mydevice"
new entry 'mydevice' added
Local-FortiGate (mydevice) $ next
MAC address can not be 0
node_check_object fail! for mac 00:00:00:00:00:00
Attribute 'mac' value '00:00:00:00:00:00' checkingfail -33
Command fail. Return code 1
Local-FortiGate (device) $ end
...
Local-FortiGate $ config firewall policy
Local-FortiGate (policy) $ edit 2
new entry '2' added
Local-FortiGate (2) $ set name "Device_policy"
Local-FortiGate (2) $ set uuid 64...
Local-FortiGate (2) $ set srcintf "port3"
Local-FortiGate (2) $ set dstintf "port1"
Local-FortiGate (2) $ set srcaddr "all"
Local-FortiGate (2) $ set dstaddr "all"
Local-FortiGate (2) $ set action accept
Local-FortiGate (2) $ set schedule "always"
Local-FortiGate (2) $ set service "ALL"
Local-FortiGate (2) $ set devices "mydevice"
entry not found in datasource
value parse error before 'mydevice'
Command fail. Return code -3
```

Which statement is true regarding this failed installation log?

- A. Policy ID 2 is installed without a source address.
- B. Policy ID 2 is installed without a source device.
- C. Policy ID 2 will not be installed.
- D. Policy ID 2 is installed in disabled state.



Correct Answer: A

### QUESTION 5

View the following exhibit: How will FortiManager try to get updates for antivirus and IPS?

```
# diagnose fmupdate view-serverlist fds
Fortiguard Server Comm : Enabled
Server Override Mode   : Loose
FDS server list       :
Index Address          Port      TimeZone  Distance  Source
-----
*0    10.0.1.50             8890     -5        0         CLI
 1    96.45.33.89           443      -5        0         FDNI
 2    96.45.32.81           443      -5        0         FDNI
...
38    fds1.fortinet.com     443      -5        0         DEFAULT
```

- A. From the list of configured override servers with ability to fall back to public FDN servers
- B. From the configured override server list only.
- C. From the default server fds1.fortinet.com.
- D. From public FDNI servers with highest index number only.

Correct Answer: A

### QUESTION 6


What configuration setting for FortiGate is part of a device-level database on FortiManager?

- A. Routing
- B. Security profiles
- C. VIP and IP Pools
- D. Firewall policies

Correct Answer: D

### QUESTION 7

View the following exhibit:



When using Install Config option to install configuration changes to managed FortiGate, which of the following statements are true? (Choose two.)

- A. Will not create new revision in the revision history.
- B. Provides the option to preview configuration changes prior to installing them.
- C. Installs device-level changes to FortiGate without launching the Install Wizard.
- D. Once installed, the install process cannot be canceled and changes will be installed on the managed device.

Correct Answer: CD

### QUESTION 8

View the following exhibit:



An administrator logs in to the FortiManager GUI and sees these panes. Which of the following can be the reason the FortiAnalyzer feature panes don't appear? (Choose two.)



- A. The administrator IP address is not a part of the trusted hosts configured on FortiManager's interfaces.
- B. FortiAnalyzer features are not enabled on FortiManager.
- C. The administrator logged in using unsecure protocol HTTP, so the view is restricted.
- D. The administrator profile does not have full access privileges like the Super\_User profile

Correct Answer: AB

---

#### QUESTION 9

An administrator configured a new firewall policy on FortiManager and has yet pushed to the managed FortiGate. In which database will the configuration be saved?

- A. Configuration-level database
- B. Device-level database
- C. ADOM-level database
- D. Revision history database

Correct Answer: B

---

#### QUESTION 10

An administrator is unable to log in to FortiManager. Which one of the following troubleshooting step should you take to resolve the issue?

- A. Make sure FortiManager Access is enabled in the administrator profile.
- B. Make sure ADOMs are enabled and the administrator has access to the Global ADOM.
- C. Make sure Offline Mode is disabled.
- D. Make sure the administrator IP address is part of the trusted hosts.

Correct Answer: D

[NSE5\\_FMG-5.4 PDF Dumps](#)

[NSE5\\_FMG-5.4 Exam Questions](#)

[NSE5\\_FMG-5.4 Braindumps](#)